

# LITEX<sup>®</sup> 696

## CORDLESS LED CURING LIGHT



LITEX<sup>®</sup> 696



- Thin and lightweight dual intensity light polymerization LED curing light.
- Standard autoclavable 8.5mm probe with 360° rotation for easy access.
- No more bulbs to replace with average LED life of 50,000 hours.
- Smooth and contoured ergonomic design offers added comfort and easy cleaning.
- Conveniently located thumb buttons set timer and intensity for two stage step-curing.
- Two-stage polymerization with initial lower intensity prior to higher intensity polymerization resulting in less shrinkage stress.
- Automatic timer with audible tone and digital display on handpiece.
- Light intensity of 1,200 mW/cm<sup>2</sup> cures composite in 10 seconds/4mm.
- Curing cycle can be interrupted manually with one-touch trigger button.
- Large lithium battery capacity provides hundreds of curing cycles on a full charge.
- Low battery warning beeper.
- Built-in light intensity indicator.
- Eye protection shield included for safe operation.

ISO 13485 **GMP**

**DENTAMERICA<sup>®</sup>**

# LITEX<sup>®</sup> 696

## CORDLESS LED CURING LIGHT



■ LITEX 696 LED  
— Camphorquinone  
■ Halogen Lamps

**10-second cure for 4mm curing depth.**



**Built-in Light Intensity Indicator.**



**Fiber Optic Probe**  
Easily Rotated, Magnetically Held.



**Orange Eye Protection Shield**  
Provides safe operation.

**Disposable Shield**  
Maintains distance between probe and material keeping the probe clean.

### SPECIFICATIONS:

- **INPUT:** 100-240V AC 0.4A
- **OUTPUT:** 9V DC 1.3A
- **HANDPIECE:** 150g  
L180×W36×H40mm
- **CHARGING UNIT:** 285g  
L134×W92×H157mm

### DENTAMERICA<sup>®</sup>

18688 E. San Jose Ave.  
 City of Industry, CA 91748 U.S.A.  
 Phone: (626) 912-1388  
 Fax: (626) 913-0510  
[www.dentamerica.com](http://www.dentamerica.com)  
[www.dentamerica.asia](http://www.dentamerica.asia)

DISTRIBUTOR